

ELECTRICAL NOTES:

- ALL CABLES USED ARE UL LISTED.

 ALL BREAKERS ARE UL RECOGNIZED.

 ALL BREAKERS ARE UL RECOGNIZED.

 ALL FUSES ARE UL RECOGNIZED. TYPE A50P, A70P OR EQUIVALENT (FUSED CABINETS ARE NOT LISTED IN UL FILE).

 ALWAYS REPLACE WITH SAME TYPE OR ITS EQUIVALENT.

 TERMINAL BLOCKS ARE UL RECOGNIZED, 600V RATED.

 CABINETS ARE SHIPPED WITH THE BREAKER IN THE TRIPPED POSITION.

 CABINET GROUND CONNECTION IS A 5/16-18 THREADED STUD.

 CABLES BETWEEN BATTERY CABINET TO UNINTERRUPTIBLE POWER SUPPLY ARE OPTIONAL.

S LISTED APPLICABLE WHEN CLOSED (ON) POSITION														
	BATTERY CONFIGURATION TABLE													
			MAXIMUM NUMBER OF BATTERIES PER CABINET											
	ENERSYS	C & D	EAST PENN	GNB	NORTHSTAR	CSB								
BER	12HX205	UPS12-210MR	45HR2000	S12V120F S12V170F		HRL12200W	60							
NUMBER	12HX300	UPS12-300MR	HR3000	S12V285F S12V300F	NSB12-310	HRL12280W								
MODEL	12HX330	UPS12-350MR	HR3500	S12V370NGF	NSB12-425	HRL12330W								
MO	12HX400	UPS12-400MR	HR4000	312V3/UNGF		HRL12390W	40							
Ϋ́	12HX505	UPS12-490MR	31HR5000	S12V500F	NSB12-540	HRL12500W	40							
BATTERY		UPS12-540MR	HR5500			HRL12540W								
	12HX540	UPS12-600MR	1113300	S12V550NGF										

S6V740NGF

FUSE OPTION

FUSE PANEL

TERMINAL


BLOCK

‡□ GND.

OUTPUT TO UPS

FUSE

	UNLESS OTHE	ERWISE SP	ECIFIED:				2222 M. Vinc	slov Pd
	DIMENSIONS ARE IN INCHES			Electronic Systems Support www.ess.to			3233 W. Kingsley Rd. Garland, Texas 75041 PH. 972-272-2468 FAX 972-276-9844	
	PROJECTIO	N: (©		ITILE: BATTERY CABINET, PULL-OUT TRAYS, 12V, TOP TERMINAL				
ELECTRONIC SYSTEMS SUPPORT IS	DRAWN BY	NAME RNA	DATE 10-31-16	SIZE	DWG. NO.	ETP41-SPEC		A
PROHIBITED.				C	SCALE: 1:12		SHEET	2 OF 3



PART NUMBER GUIDE:

REFERENCE THE BATTERY PART NUMBER GUIDE TABLE WHEN ORDERING A CABINET. WHEN PLACING ORDER, INDICATE THE OTY OF CABINETS. NO DASHES ARE TO BE INCLUDED IN PART NUMBER. OVERALL PART NUMBER OF SYTEM IS ALWAYS IB DIGITS LONG.

OVERALE PAIN INDIVIDED TO STATE ALLWAYS BE THE SAME.

DIGHTS 6-7 WILL FOLLOW THE BASE NUMBER INDICATING THE COLOR AND HEIGHT OF THE CABINET.

DIGHTS 8-18 MAKE UP THE REST OF THE SYSTEM PAIR NUMBER WHICH INCLUDE OPTIONS FOR

BATTERY OUANTITIES, BATTERY MODEL, AND BREAKER OPTIONS.

6. EXAMPLE: ETPATAE - THIS REPRESENTS A STANDARD ETPAT CABINET, WITH A POWDER COAT FINISH OF STANDARD BLACK AND 78.7 HEIGHT.

PLEASE NOTE, ONLY STANDARD CABINETS (COLOR AND HEIGHT) ARE IN STOCK. MINIMUM ORDERS OF 20 OR MORE CANBINETS ARE REQUIRED FOR NON STANDARD CABINETS UNLESS IT IS THROUGH OEM CONTRACTS.

3233 W. Kingsley Rd. Garland, Texas 75041 PH. 972-272-2468 DIMENSIONS ARE IN INCHES Electronic Systems Support www.ess.to FAX 972-276-9844 BATTERY CABINET, PULL-OUT TRAYS, 12V, TOP TERMINAL PROPRIETARY AND CONFIDENTIAL ROJECTION: (O) HE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DWG NO DRAWING IS THE SOLE PROPERTY OF ELECTRONIC SYSTEMS SUPPORT, ANY EPRODUCTION IN PART OR AS A WHOL WITHOUT THE WRITTEN PERMISSION OF ELECTRONIC SYSTEMS SUPPORT IS PROHIBITED. SIZE ETP41-SPEC Α С SCALE: 1:12 SHEET 3 OF 3